


pagepeeker Home About Plans & Pricing Signup Demo API FAQ Login



Automate Website Screenshots Creation

- ✓ Quick implementation
- ✓ Scales automatically for you
- Cheaper than doing it yourself
- 99.9% uptime

GET YOUR ACCOUNT NOW

Embed it on your site for free
<http://free.pagepeeker.com/v2/thumbs.php?size=xl&url=robozar.com>

Evaluation du site robozar.com

Généré le 05 Janvier 2023 08:11

Le score est de 57/100



Fast rendering

Generate screenshots in a matter of seconds. Never busy, so there's no waiting in line. Rendering starts immediately and is finished quickly.

Accurate screenshots





Using two different rendering techniques, we ensure that the screenshots and website thumbnails are always generated properly. If one method fails, the second always succeeds.

pagepeeker


Optimisation du contenu

	Titre	Robozar® : India's Biggest Robotics, DIY, Electronic Supply Stores Longueur : 67 Parfait, votre titre contient entre 10 et 70 caractères.												
	Description	Robozar is an India's Biggest Robotics, DIY, Electronic Supply Stores Longueur : 70 Génial, votre balise META description contient entre 70 et 160 caractères.												
	Mots-clefs	Electronic Supply Stores, India's Biggest Robotics, DIY Bien, votre page contient une balise META keywords.												
	Propriétés Open Graph	Cette page ne profite pas des balises META Open Graph. Cette balise permet de représenter de manière riche n'importe quelle page dans le graph social (environnement social). Utilisez ce générateur gratuit de balises META Open Graph pour les créer.												
	Niveaux de titre	<table border="1"> <thead> <tr> <th>H1</th> <th>H2</th> <th>H3</th> <th>H4</th> <th>H5</th> <th>H6</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>5</td> <td>10</td> <td>27</td> <td>0</td> <td>0</td> </tr> </tbody> </table> <ul style="list-style-type: none"> • [H2] NEW HERE? • [H2] Go Quickly to: • [H2] • [H2] • [H2] • [H3] Featured products • [H3] Featured products • [H3] Top collections • [H3] Latest Blogs • [H3] Contact Info • [H3] My Account • [H3] Information 	H1	H2	H3	H4	H5	H6	0	5	10	27	0	0
H1	H2	H3	H4	H5	H6									
0	5	10	27	0	0									

Optimisation du contenu

		<ul style="list-style-type: none">• [H3] Services• [H3] Download APP:• [H3] Follow Us:• [H4] 200W Electric Wheelchair Powertrain PMDC Motor -..• [H4] 10 Inch 24V 350W Drum Breke Electric Bicycle BLDC..• [H4] 6 Inch 24V 350W Electric Bicycle BLDC Wheel Hub M..• [H4] 10 Inch 24V 350W Drum Brake Electric Bicycle BLDC ..• [H4] 10 Inch 24V 350W Drum Brake Electric Bicycle BLDC ..• [H4] 10 Inch 24V 350W Electric Bicycle BLDC Wheel Hub M..• [H4] 200W Electric Wheelchair Powertrain PMDC Motor -..• [H4] 10 Inch 24V 350W Drum Breke Electric Bicycle BLDC..• [H4] 6 Inch 24V 350W Electric Bicycle BLDC Wheel Hub M..• [H4] 10 Inch 24V 350W Drum Brake Electric Bicycle BLDC ..• [H4] 10 Inch 24V 350W Drum Brake Electric Bicycle BLDC ..• [H4] 10 Inch 24V 350W Electric Bicycle BLDC Wheel Hub M..• [H4] 200W Electric Wheelchair Powertrain PMDC Motor -..• [H4] 3 Pin Male Panel Mount C13 Plug Socket Adapter 25..• [H4] 6 Inch 24V 350W Electric Bicycle BLDC Wheel Hub M..• [H4] 10 Inch 24V 350W Drum Breke Electric Bicycle BLDC..• [H4] Thumb Throttle TT001• [H4] Brush Motor Controller 24V 250W for Ebike• [H4] 10 Inch 24V 350W Electric Bicycle BLDC Wheel Hub M..• [H4] 10 Inch 24V 350W Drum Brake Electric Bicycle BLDC ..• [H4] 10 Inch 24V 350W Drum Brake Electric Bicycle BLDC ..• [H4] 10 Inch 24V 350W Drum Breke Electric Bicycle BLDC..• [H4] 1200W 48V 17inch Hub Motor for Pulsar Electric Con..• [H4] 200W Electric Wheelchair Powertrain PMDC Motor - S..• [H4] 200W Electric Wheelchair Powertrain PMDC Motor -..• [H4] 250W Electric Wheelchair Powertrain PMDC Motor - S..• [H4] Added to cart successfully. What is next?
	Images	Nous avons trouvé 53 image(s) sur cette page Web. 3 attribut(s) alt sont vides ou manquants. Ajouter un texte alternatif permet aux moteurs de recherche de mieux comprendre le contenu de vos images.
	Ratio texte/HTML	Ratio : 32% Idéal! le ratio de cette page texte/HTML est entre 25 et 70 pour cent.
	Flash	Parfait, aucun contenu FLASH n'a été détecté sur cette page.
	Iframe	Génial, il n'y a pas d'Iframes détectés sur cette page.

Liens

	Réécriture d'URLs	Mauvais. Vos liens contiennent des chaînes de requête.
--	-------------------	--

Liens dans la page

=	Interne	Passing Juice
Basic Electronic Components	Interne	Passing Juice
Semiconductor ICs	Interne	Passing Juice
LEDs and Indicators	Interne	Passing Juice
Miscellaneous Component	Interne	Passing Juice
Mechanical Switches	Interne	Passing Juice
E-bike Spare Parts	Interne	Passing Juice
=	Interne	Passing Juice
=	Interne	Passing Juice
=	Interne	Passing Juice
=	Interne	Passing Juice
=	Interne	Passing Juice
=	Interne	Passing Juice
Orange DIY Mini Project Kits	Interne	Passing Juice
Orange Electronic Component Kits	Interne	Passing Juice
Orange Kits for Arduinos	Interne	Passing Juice
Orange Kits for Raspberry Pi	Interne	Passing Juice
Sensor Kits Link and Image	Interne	Passing Juice
Biometric/ECG/EMG Sensor	Interne	Passing Juice
Current and Voltage	Interne	Passing Juice
Rotary Encoder	Interne	Passing Juice
LIDAR Sensor	Interne	Passing Juice
Other Ultrasonic Sensors	Interne	Passing Juice
RFID Card, Tags & Reader	Interne	Passing Juice
Sound Sensor	Interne	Passing Juice
Load/Pressure/Force/Flex Sensor	Interne	Passing Juice
Vibration/Tilt Sensor & Modules	Interne	Passing Juice
Water TDS, pH, Flow, Level and Pressure Sensor	Interne	Passing Juice

Liens dans la page

Light / Color Sensor	Interne	Passing Juice
Line Sensor	Interne	Passing Juice
PIR / IR & Optical Sensor	Interne	Passing Juice
Environmental Sensor	Interne	Passing Juice
Gas and Dust Sensor	Interne	Passing Juice
Temperature & Humidity Sensor	Interne	Passing Juice
Thermoelectric Cooler	Interne	Passing Juice
Autonics Proximity Sensor	Interne	Passing Juice
MAXBOTIX Ultrasonic Sonar	Interne	Passing Juice
Orange Proximity Sensor	Interne	Passing Juice
Other Proximity Sensor & Modules	Interne	Passing Juice
Ultrasonic Sensor	Interne	Passing Juice
3D Printer Display and Controllers	Interne	Passing Juice
3D Printer Heatbed and Accessories	Interne	Passing Juice
Limit Switch	Interne	Passing Juice
Stepper Motors and Accessories	Interne	Passing Juice
ESUN Filaments	Interne	Passing Juice
Orange Premium Filaments	Interne	Passing Juice
Resins	Interne	Passing Juice
3D Printer Couplings	Interne	Passing Juice
3D Printer Extruder Kit	Interne	Passing Juice
3D Printer Extruder Parts and Fans	Interne	Passing Juice
3D Printer Nozzle	Interne	Passing Juice
Aluminium Extrusion and Accessories	Interne	Passing Juice
Bearings	Interne	Passing Juice
Lead Screw and Nut	Interne	Passing Juice
Linear Guide Rail	Interne	Passing Juice
Nut Insert	Interne	Passing Juice

Liens dans la page

Sleeves and Drag Chain	Interne	Passing Juice
Smooth Rods	Interne	Passing Juice
Timing Belt and Pulley	Interne	Passing Juice
Battery Chargers	Interne	Passing Juice
Battery Connector	Interne	Passing Juice
Battery Harness	Interne	Passing Juice
Battery Pack Accessories & Holders	Interne	Passing Juice
Battery Protection Board	Interne	Passing Juice
LiPO Battery Sack, Covers & Mats	Interne	Passing Juice
Lipo Voltage Checker	Interne	Passing Juice
Parallel Charging Board	Interne	Passing Juice
Power Adapter and Cable	Interne	Passing Juice
2S Lipo (7.4V ~ 8.4V)	Interne	Passing Juice
3S Lipo (11.1V ~ 12.6V)	Interne	Passing Juice
4S Lipo (14.8V ~ 16.8V)	Interne	Passing Juice
6S Lipo (22.2V ~ 25.2V)	Interne	Passing Juice
1 Cell (3.7V~4.2V)	Interne	Passing Juice
2 Cell (7.4V~8.4V)	Interne	Passing Juice
3 Cell (11.1V~12.6V)	Interne	Passing Juice
4 Cell (14.8V~16.8V)	Interne	Passing Juice
5 Cell(18.5V) & 6 Cell(22.2V)	Interne	Passing Juice
1 Cell (3.7-4.2)V	Interne	Passing Juice
2 Cell (7.4-8.4)V	Interne	Passing Juice
3 Cell (11.1-12.6)V	Interne	Passing Juice
4 Cell (14.8-16.8)V	Interne	Passing Juice
6 Cell (22.2-25.2)V	Interne	Passing Juice
CNC and PLC Machine Battery	Interne	Passing Juice
Coin Cell Battery	Interne	Passing Juice

[Liens dans la page](#)

Life PO4 Battery	Interne	Passing Juice
TX/RX Li-PO Batteries	Interne	Passing Juice
Boards	Interne	Passing Juice
Case for Arduino	Interne	Passing Juice
Displays	Interne	Passing Juice
Shields	Interne	Passing Juice
USB Cables for Arduino	Interne	Passing Juice
11 Inch and Above	Interne	Passing Juice
3 Inch to 7 Inch	Interne	Passing Juice
8 Inch to 10 Inch	Interne	Passing Juice
Carbon Fiber Propeller	Interne	Passing Juice
Propeller Accessories	Interne	Passing Juice
Triblades	Interne	Passing Juice
Upto 3 Inch	Interne	Passing Juice
Bluetooth Interfacing	Interne	Passing Juice
Communication Module	Interne	Passing Juice
Ethernet Module	Interne	Passing Juice
Memory Interfacing	Interne	Passing Juice
Programming Module	Interne	Passing Juice
Addressable LED & Drivers	Interne	Passing Juice
LASER Module	Interne	Passing Juice
LED Module	Interne	Passing Juice
Boost Converter (Step-Up)	Interne	Passing Juice
Buck Converter (Step-Down)	Interne	Passing Juice
Ammeter, Voltmeter and Multimeter	Interne	Passing Juice
Glue Gun and Sticks	Interne	Passing Juice
Oscilloscope & Signal Generator	Interne	Passing Juice
Other Measuring Instruments	Interne	Passing Juice

Liens dans la page

Soldering Tools and Kits	Interne	Passing Juice
Temperature Meter	Interne	Passing Juice
Workbench Accessories	Interne	Passing Juice
Hi-Link Power Supply Module	Interne	Passing Juice
SMPS	Interne	Passing Juice
Transformers	Interne	Passing Juice
Carbon Fiber Sheets and Strips	Interne	Passing Juice
Carbon Fiber Tubes and Rods	Interne	Passing Juice
Aluminum Extrusion and Accessories	Interne	Passing Juice
Bearings	Interne	Passing Juice
Chassis	Interne	Passing Juice
Couplings	Interne	Passing Juice
Gears	Interne	Passing Juice
Lead Screw	Interne	Passing Juice
Linear Guide Rail	Interne	Passing Juice
Motor Mounting Brackets	Interne	Passing Juice
Smooth Rods	Interne	Passing Juice
CHHD Screws	Interne	Passing Juice
Countersunk (CSK) Screws	Interne	Passing Juice
Nut and Washers	Interne	Passing Juice
Nylon Nuts and Bolts	Interne	Passing Juice
Socket Head Cap Screws (Allen Bolt)	Interne	Passing Juice
Socket Set Screws (Allen Grub)	Interne	Passing Juice
Spacer and Standoff	Interne	Passing Juice
25 GA Motor	Interne	Passing Juice
DC Geared Motor with Encoder	Interne	Passing Juice
Johnson Geared Motor(Grade B)	Interne	Passing Juice
Orange Johnson Geared Motor	Interne	Passing Juice

Liens dans la page

Orange OG 555 DC Motor	Interne	Passing Juice
Orange Rectangular Gearbox Motor	Interne	Passing Juice
Orange RS 775 DC Motor	Interne	Passing Juice
RS 50 Geared Motor	Interne	Passing Juice
Bearings	Interne	Passing Juice
Couplings	Interne	Passing Juice
Futaba Servo Cable	Interne	Passing Juice
JR Servo Cable	Interne	Passing Juice
Motor Mounting Brackets	Interne	Passing Juice
Other Accessories	Interne	Passing Juice
Push Rod	Interne	Passing Juice
Brushed DC Motor Driver	Interne	Passing Juice
Brushless DC Motor Driver (ESC)	Interne	Passing Juice
Servo Motor Driver	Interne	Passing Juice
Stepper Motor Driver	Interne	Passing Juice
Micro Gear Motor With Encoder	Interne	Passing Juice
Micro Gear Motor Without Encoder	Interne	Passing Juice
BO Motor	Interne	Passing Juice
Drone Motor	Interne	Passing Juice
Metal Gear Box Motor	Interne	Passing Juice
Plastic Gear Box Motor	Interne	Passing Juice
Vibration Motor	Interne	Passing Juice
Orange Planetary BLDC Motor	Interne	Passing Juice
Orange Planetary Gears Motor	Interne	Passing Juice
Planetary Gear DC Motor	Interne	Passing Juice
Emax Servo Motor	Interne	Passing Juice
Orange RC Servo Motor	Interne	Passing Juice
Other Servo Motor	Interne	Passing Juice

Liens dans la page

Arduino Mega2560 MCU Rev3	Interne	Passing Juice
Arduino Nano	Interne	Passing Juice
Arduino Nano 33 BLE	Interne	Passing Juice
Arduino Nano 33 BLE Sense	Interne	Passing Juice
Arduino Nano 33 IoT	Interne	Passing Juice
Arduino Nano Every	Interne	Passing Juice
Arduino Uno Rev 3	Interne	Passing Juice
Arduino UNO WiFi REV 2	Interne	Passing Juice
Arduino Due Board	Interne	Passing Juice
Arduino Micro Without Headers	Interne	Passing Juice
Arduino MKR WAN 1300	Interne	Passing Juice
Arduino MKR WiFi 1010	Interne	Passing Juice
Arduino OPLA IoT Kit	Interne	Passing Juice
Arduino Portenta H7	Interne	Passing Juice
Arduino Portenta Vision shield	Interne	Passing Juice
Arduino Portenta Vision Shield - LORA	Interne	Passing Juice
Arduino Tiny Machine Learning Kit	Interne	Passing Juice
DuPont / Jumper Cable	Interne	Passing Juice
FFC Cable	Interne	Passing Juice
Futaba Servo Cable	Interne	Passing Juice
Interfacing Cables	Interne	Passing Juice
JR Servo Cable	Interne	Passing Juice
11mm and Above	Interne	Passing Juice
1mm to 4mm	Interne	Passing Juice
5mm to 10mm	Interne	Passing Juice
Heat Shrink Combos	Interne	Passing Juice
PVC Heat Shrink	Interne	Passing Juice
12 to 16 AWG	Interne	Passing Juice


[Liens dans la page](#)

18 to 22 AWG	Interne	Passing Juice
24 to 30 AWG	Interne	Passing Juice
6 to 10 AWG	Interne	Passing Juice
PVC Wire	Interne	Passing Juice
Cable Ties	Interne	Passing Juice
Sleeves and Drag Chain	Interne	Passing Juice
Wire Cutter / Stripper	Interne	Passing Juice
Resistor	Interne	Passing Juice
Aluminium Heat Sink	Interne	Passing Juice
Bread Board and Zero PCB	Interne	Passing Juice
Buzzer/ Speaker	Interne	Passing Juice
Fuse	Interne	Passing Juice
Potentiometer	Interne	Passing Juice
Amplifier ICs	Interne	Passing Juice
Clock, Timer and Counter ICs	Interne	Passing Juice
IC Base	Interne	Passing Juice
Interface IC	Interne	Passing Juice
Microcontroller IC	Interne	Passing Juice
Optocoupler IC	Interne	Passing Juice
Other Semiconductor ICs	Interne	Passing Juice
Sensor IC	Interne	Passing Juice
WiFi ICs	Interne	Passing Juice
[email&#160;protected]	Interne	Passing Juice
Brands	Interne	Passing Juice
Gift Certificates	Interne	Passing Juice
Affiliates	Interne	Passing Juice
Specials	Interne	Passing Juice
About Us	Interne	Passing Juice

Liens dans la page

FAQ	Interne	Passing Juice
Warranty And Services	Interne	Passing Juice
Support 24/7 page	Interne	Passing Juice
Contact Us	Interne	Passing Juice
Returns	Interne	Passing Juice
Site Map	Interne	Passing Juice





Mots-clefs

	Nuage de mots-clefs	module board parts kits arduino add sensor battery motor accessories
--	---------------------	---


Cohérence des mots-clefs

Mot-clef	Contenu	Titre	Mots-clefs	Description	Niveaux de titre
motor	73	✘	✘	✘	✔
accessories	38	✘	✘	✘	✘
sensor	36	✘	✘	✘	✘
parts	31	✘	✘	✘	✘
arduino	31	✘	✘	✘	✘












Ergonomie

	Url	Domaine : robozar.com Longueur : 11
	Favicon	Génial, votre site web dispose d'un favicon.
	Imprimabilité	Aucun style CSS pour optimiser l'impression n'a pu être trouvé.
	Langue	Bien. Votre langue est : en.





Ergonomie

	Dublin Core	Cette page ne profite pas des métadonnées Dublin Core.
---	-------------	--




Document

	Doctype	HTML 5
	Encodage	Parfait. Votre charset est UTF-8.
	Validité W3C	Erreurs : 0 Avertissements : 15
	E-mail confidentialité	Génial, aucune adresse e-mail n'a été trouvé sous forme de texte!
	HTML obsolètes	Génial! Nous n'avons pas trouvé de balises HTML obsolètes dans votre code.
	Astuces vitesse	<ul style="list-style-type: none"> Excellent, votre site n'utilise pas de tableaux imbriqués. Mauvais, votre site web utilise des styles css inline. Mauvais, votre site web contient trop de fichiers CSS (plus de 4). Mauvais, votre site web contient trop de fichiers javascript (plus de 6). Dommage, votre site n'est pas optimisé avec gzip.

Mobile

	Optimisation mobile	<ul style="list-style-type: none"> Icône Apple Méta tags viewport Contenu FLASH
---	---------------------	--

Optimisation

	Sitemap XML	<p>Votre site web dispose d'une sitemap XML, ce qui est optimal.</p> <p>http://robozar.com/sitemap.xml</p>
	Robots.txt	<p>Manquant</p> <p>Votre site ne dispose pas d'un fichier robots.txt, ce qui peut poser problème.</p> <p>Un fichier robots.txt vous permet d'empêcher l'accès des moteurs de recherche à certains dossiers et pages spécifiques. Ce fichier précise également où se trouve la sitemap XML.</p>
	Mesures d'audience	<p>Manquant</p> <p>Nous n'avons trouvé aucun outil d'analytics sur ce site.</p> <p>Un outil de mesure d'audience vous permet d'analyser l'activité des visiteurs sur votre site. Vous devriez installer au moins un outil Analytics. Il est souvent utile d'en rajouter un second, afin de confirmer les résultats du premier.</p>